according to Regulation (EC) No. 1907/2006 (REACH)

## **CONDURSAL N623p**

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

### SECTION 1: Identification

### 1.1 Product identifier

Trade name CONDURSAL N623p

Registration number (REACH) not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses industrial use

### 1.3 Details of the supplier of the safety data sheet

NÜSSLE GmbH & Co. KG Iselshauser Str. 55 D-72202 Nagold Germany

Telephone: +49 (0) 74 52-9 32 05-0 Telefax: +49 (0) 74 52-9 32 05-20 e-mail: mail@nuessle-kg.de

Competent person responsible for the safety data

sheet

mail@nuessle-kg.de

### 1.4 Emergency telephone number

Emergency information service

This number is only available during the following office hours: +49 (0) 7452-9 32 05-0 Mon-Fri 08:00 AM - 04:00 PM

### SECTION 2: Hazard(s) identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

### Supplemental hazard information

Code	Supplemental hazard information
EUH208	contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction

### 2.2 Label elements

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Signal wordnot requiredPictogramsnot requiredAdditional labeling requirements

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-iso-

thiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-

6] (3:1). May produce an allergic reaction.

### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)

## **CONDURSAL N623p**

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

### SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

### **Description of the mixture**

Name of sub- stance	CAS No	EC No	Wt%	Classification acc. to GHS	Pictograms
2-(2- Butoxyethoxy)ethanol	112-34-5	203-961-6	<5	Eye Irrit. 2 / H319	<b>(1)</b>

For full text of abbreviations: see SECTION 16.

### SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### **General notes**

Take off immediately all contaminated clothing.

### Following inhalation

Provide fresh air.

### Following skin contact

Wash with plenty of soap and water.

### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### Following ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

### 5.2 Special hazards arising from the substance or mixture

None.

### 5.3 Advice for firefighters

Non-combustible. Do not allow firefighting water to enter drains or water courses.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

according to Regulation (EC) No. 1907/2006 (REACH)

## CONDURSAL N623p

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

### Appropriate containment techniques

Use of adsorbent materials.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Incompatible substances or mixtures

Observe compatible storage of chemicals.

Protect against external exposure, such as

frost

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

### **National limit values**

### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	lden tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sour ce
US	triethanolamine	102-71-6	PEL (CA)		5						Cal/ OSHA PEL
US	tin	7440-31- 5	REL		2 (10 h)						NIOS H REL
US	tin	7440-31- 5	PEL (CA)		2					ex- SnH4 , Sn	Cal/ OSHA PEL

Notation

TWA

Ceiling value is a limit value above which exposure should not occur Except SnH4 Ceiling-C

exSnH4

Sn STEL

Calculated as Sn (tin)
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified

according to Regulation (EC) No. 1907/2006 (REACH)

## **CONDURSAL N623p**

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

### Relevant DNELs/DMELs/PNECs and other threshold levels

### • relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
2-(2- Butoxyethoxy)ethanol	112-34-5	DNEL	101.2 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	acute - local effects
2-(2- Butoxyethoxy)ethanol	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - local effects
2-(2- Butoxyethoxy)ethanol	112-34-5	DNEL	83 mg/kg	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
2-(2- Butoxyethoxy)ethanol	112-34-5	DNEL	67.5 mg/m <sup>3</sup>	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects

### • relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environ- mental com- partment	Exposure time
2-(2- Butoxyethoxy)ethanol	112-34-5	PNEC	1.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
2-(2- Butoxyethoxy)ethanol	112-34-5	PNEC	0.11 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
2-(2- Butoxyethoxy)ethanol	112-34-5	PNEC	200 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treat- ment plant (STP)	short-term (single in- stance)
2-(2- Butoxyethoxy)ethanol	112-34-5	PNEC	4.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single in- stance)
2-(2- Butoxyethoxy)ethanol	112-34-5	PNEC	0.44 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sedi- ment	short-term (single in- stance)
2-(2- Butoxyethoxy)ethanol	112-34-5	PNEC	56 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	water	short-term (single in- stance)
2-(2- Butoxyethoxy)ethanol	112-34-5	PNEC	0.32 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single in- stance)
2-(2- Butoxyethoxy)ethanol	112-34-5	PNEC	11 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection

Use protective eyewear to guard against splash of liquids.

### Skin protection

### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### · type of material

CR: chloroprene (chlorobutadiene) rubber, IIR: isobutene-isoprene (butyl) rubber

### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

according to Regulation (EC) No. 1907/2006 (REACH)

## **CONDURSAL N623p**

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

### **Respiratory protection**

During spraying wear suitable respiratory equipment.

### **Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

 $1.9 - 2^{9}/_{cm^3}$  at 20 °C

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state liquid (viscous)

Color green

Odor faintly perceptible

Other physical and chemical parameters

pH (value) 8.5 – 9 (20 °C) Melting point/freezing point not determined

Initial boiling point and boiling range 100 °C

Flash point not applicable
Evaporation rate not determined
Flammability (solid, gas) not relevant (fluid)
Vapor pressure 23.4 hPa at 20 °C

Solubility(ies)

Density

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW)

This information is not available.

Auto-ignition temperature not applicable

Viscosity

• kinematic viscosity 500 <sup>mm²</sup>/<sub>s</sub> at 20 °C

• dynamic viscosity >1,000 mPa s at 20 °C

Explosive properties none Oxidizing properties none

9.2 Other information

Solid content 70 – 80 %

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

\_

according to Regulation (EC) No. 1907/2006 (REACH)

## **CONDURSAL N623p**

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### Classification according to GHS (1272/2008/EC, CLP)

### **Acute toxicity**

Shall not be classified as acutely toxic.

### · Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
2-(2-Butoxyethoxy)ethanol	112-34-5	oral	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat
2-(2-Butoxyethoxy)ethanol	112-34-5	dermal	LD50	2,764 <sup>mg</sup> / <sub>kg</sub>	rabbit

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitization

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### SECTION 12: Ecological information

### 12.1 Toxicity

### Aquatic toxicity (acute)

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-(2-Butoxyethoxy)ethanol	112-34-5	LC50	1,300 <sup>mg</sup> / <sub>l</sub>	fish	96 h
2-(2-Butoxyethoxy)ethanol	112-34-5	EC50	>100 <sup>mg</sup> / <sub>I</sub>	aquatic inverteb- rates	48 h
2-(2-Butoxyethoxy)ethanol	112-34-5	ErC50	1,101 <sup>mg</sup> / <sub>l</sub>	algae	72 h

according to Regulation (EC) No. 1907/2006 (REACH)

## **CONDURSAL N623p**

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

### 12.2 Persistence and degradability

### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
2-(2-Butoxyethoxy)ethanol	112-34-5	oxygen depletion	85 %	28 d

### 12.3 Bioaccumulative potential

Data are not available.

### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
2-(2-Butoxyethoxy)ethanol 112-34-5			1 (pH value: 7, 20 °C)	

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packages

Completely emptied packages can be recycled.

### Relevant provisions relating to waste

### List of wastes

08 01 11\* Wastes from MFSU and removal of paint and varnish

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

14.1	UN number	not subject to transport regulations

**14.2** UN proper shipping name not relevant

**14.3** Transport hazard class(es)

Class

**14.4** Packing group not assigned to a packing group

**14.5** Environmental hazards none (non-environmentally hazardous acc. to the dangerous

goods regulations)

**14.6** Special precautions for user

There is no additional information.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

according to Regulation (EC) No. 1907/2006 (REACH)

## **CONDURSAL N623p**

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

### Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

#### Remarks

Are not subject to the requirements of ADR if packed in receptacles of not more than 450 litres capacity.

• International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

according to Regulation (EC) No. 1907/2006 (REACH)

## **CONDURSAL N623p**

Version number: GHS 3.0 revision: 2021-02-15 Replaces version of: 2018-09-27

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH) Regulation (EC) No. 1272/2008 (CLP, EU GHS)

### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H319	Causes serious eye irritation.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.